Author Index

Bang, A.G., see Flegel, W.A. (41) 155 Befort, N., see Stiegler, P. (41) 163 Billin, A.N., see Cockerill, K.A. (41) 139

Callahan, C.A., see Muralidhar, M.G. (41) 129 Cockerill, K.A., Billin, A.N. and Poole, S.J.

Regulation of expression domains and effects of ectopic expression reveal gap gene-like properties of the linked *pdm* genes of *Drosophila* (41) 139

Dirksen, M.-L., Mathers, P. and Jamrich, M. Expression of a Xenopus Distal-less homeobox gene involved in forebrain and cranio-facial development (41) 121

Dolo, V., see Ghersi, G. (41) 47

Dreyer, C., see Ellinger-Ziegelbauer, H. (41) 33

Durliat, M., see Stiegler, P. (41) 163

Ellinger-Ziegelbauer, H. and Drever, C.

The pattern of retinoic acid receptor γ (RAR γ) expression in normal development of *Xenopus laevis* and after manipulation of the main body axis (41) 33

Ferrandon, D., see Forlani, S. (41) 109

Flegel, W.A., Singson, A.W., Margolis, J.S., Bang, A.G., Posakony, J.W. and Murre, C.

Dpbx, a new homeobox gene closely related to the human protooncogene *pbx1*. Molecular structure and developmental expression (41) 155

Forlani, S., Ferrandon, D., Saget, O. and Mohier, E.

A regulatory function for K10 in the establishment of dorsoventral polarity in the *Drosophila* egg and embryo (41) 109

Gan, L., see Venuti, J.M. (41) 3

Gateff, E., Löffler, T. and Wismar, J.

A temperature-sensitive brain tumor suppressor mutation of *Drosophila melanogaster*: Developmental studies and molecular localization of the gene (41) 15

Ghersi, G., Salamone, M., Dolo, V., Levi, G. and Vittorelli, M.L. Differential expression and function of cadherin-like proteins in the sea urchin embryo (41) 47

Gilbert, S.F. and Saxén, L.

Spemann's organizer: models and molecules (41) 73

Hourdry, J., see Stiegler, P. (41) 163

Jamrich, M., see Dirksen, M.-L. (41) 121

Klein, W.H., see Venuti, J.M. (41) 3 Kozlowski, M.T., see Venuti, J.M. (41) 3

Lake, J.-A., see Lockett, T.J. (41) 57

Levi, G., see Ghersi, G. (41) 47

Lockett, T.J., Moretti, P.A.B., Lake, J.-A. and Saint, R.

The rough genes with Deformed homeobox substitutions exhibit rough regulatory specificity during Drosophila eye development (41) 57

Löffler, T., see Gateff, E. (41) 15

Margolis, J.S., see Flegel, W.A. (41) 155
Mathers, P., see Dirksen, M.-L. (41) 121
Meyer, D., see Stiegler, P. (41) 163
Mohier, E., see Forlani, S. (41) 109
Moretti, P.A.B., see Lockett, T.J. (41) 57
Muralidhar, M.G., Callahan, C.A. and Thomas, J.B.
Single-minded regulation of genes in the embryonic midline of the Drosophila central nervous system (41) 129

Poole, S.J., see Cockerill, K.A. (41) 139 Posakony, J.W., see Flegel, W.A. (41) 155

Murre, C., see Flegel, W.A. (41) 155

Remy, P., see Stiegler, P. (41) 163

Saget, O., see Forlani, S. (41) 109

Saint, R., see Lockett, T.J. (41) 57

Salamone, M., see Ghersi, G. (41) 47

Saxén, L., see Gilbert, S.F. (41) 73

Sénan, F., see Stiegler, P. (41) 163

Singson, A.W., see Flegel, W.A. (41) 155

Slack, J.M.W.

Embryonic induction (41) 91


Stiegler, P., Wolff, C.-M., Meyer, D., Sénan, F., Durliat, M., Hourdry, J., Befort, N. and Remy, P.

The c-ets-1 proto-oncogenes in *Xenopus laevis*: expression during oogenesis and embryogenesis (41) 163

Thomas, J.B., see Muralidhar, M.G. (41) 129

Venuti, J.M., Gan, L., Kozlowski, M.T. and Klein, W.H. Developmental potential of muscle cell progenitors and the myogenic factor SUM-1 in the sea urchin embryo (41) 3 Vittorelli, M.L., see Ghersi, G. (41) 47

Wismar, J., see Gateff, E. (41) 15 Wolff, C.-M., see Stiegler, P. (41) 163



Subject Index

Activin

Induction; *Drosophila*; Decapentaplegic; *Xenopus*; Fibroblast growth factor; *Wnt*; Bone morphogenetic protein; Kidney; Limb; Retinoic acid (Slack, J.M.W. (41) 91)

Body axis

Retinoic acid receptor γ (RAR γ); Immunodetection; Pattern formation (Ellinger-Ziegelbauer, H. (41) 33)

Bone morphogenetic protein

Induction; *Drosophila*; Decapentaplegic; *Xenopus*; Fibroblast growth factor; Activin; *Wnt*; Kidney; Limb; Retinoic acid (Slack, J.M.W. (41) 91)

Brain tumor suppressor gene

Drosophila; lethal(3)malignant brain tumor (l(3)mbt); Temperaturesensitive (Gateff, E. (41) 15)

Cadherin

Cell adhesion; Development; Sea urchin (Ghersi, G. (41) 47)

Cell adhesion

Cadherin; Development; Sea urchin (Ghersi, G. (41) 47)

Cement gland

Distal-less; Forebrain; Homeobox; Neural crest; Retina; Visceral arch; Xenopus (Dirksen, M.-L. (41) 121)

Central nervous system

Dpbx; pbx gene family; Proto-oncogene; Homeobox gene; Homeodomain; Drosophila melanogaster development (Flegel, W.A. (41) 155)

Decapentaplegic

Induction; *Drosophila*; *Xenopus*; Fibroblast growth factor; Activin; *Wnt*; Bone morphogenetic protein; Kidney; Limb; Retinoic acid (Slack, J.M.W. (41) 91)

Deformed

Homeodomain; Homeobox; Eye development; rough (Lockett, T.J. (41) 57)

Development

Cell adhesion; Cadherin; Sea urchin (Ghersi, G. (41) 47)

Drosophila; single-minded; bHLH protein (Muralidhar, M.G. (41) 129)

Proto-oncogene; ets gene family; Transcription factor; Maternal mRNA; Xenopus (Stiegler, P. (41) 163)

Developmental genetics

Dorsoventral pattern; Oogenesis; *Drosophila*; fs(1)K10; gurken (Forlani, S. (41) 109)

Distal-less

Cement gland; Forebrain; Homeobox; Neural crest; Retina; Visceral arch; Xenopus (Dirksen, M.-L. (41) 121)

Dorsoventral pattern

Developmental genetics; Oogenesis; Drosophila; fs(1)K10; gurken (Forlani, S. (41) 109)

Dpbx

pbx gene family; Proto-oncogene; Homeobox gene; Homeodomain; Central nervous system; Drosophila melanogaster development (Flegel, W.A. (41) 155)

Drosophila

Brain tumor suppressor gene; lethal(3)malignant brain tumor (l(3)mbt); Temperature-sensitive (Gateff, E. (41) 15)

Induction; Decapentaplegic; *Xenopus*; Fibroblast growth factor; Activin; *Wnt*; Bone morphogenetic protein; Kidney; Limb; Retinoic acid (Slack, J.M.W. (41) 91)

Developmental genetics; Dorsoventral pattern; Oogenesis; fs(1)K10; gurken (Forlani, S. (41) 109)

Development; single-minded; bHLH protein (Muralidhar, M.G. (41) 129)

POU domain; Gap gene; Segmentation (Cockerill, K.A. (41) 139)

Drosophila melanogaster development

Dpbx; pbx gene family; Proto-oncogene; Homeobox gene; Homeodomain; Central nervous system (Flegel, W.A. (41) 155)

ets gene family

Proto-oncogene; Transcription factor; Maternal mRNA; Development; *Xenopus* (Stiegler, P. (41) 163)

Eye development

Homeodomain; Homeobox; rough; Deformed (Lockett, T.J. (41) 57)

Fibroblast growth factor

Induction; *Drosophila*; Decapentaplegic; *Xenopus*; Activin; *Wnt*; Bone morphogenetic protein; Kidney; Limb; Retinoic acid (Slack, J.M.W. (41) 91)

Forebrain

Cement gland; Distal-less; Homeobox; Neural crest; Retina; Visceral arch; Xenopus (Dirksen, M.-L. (41) 121)

Gap gene

POU domain; Segmentation; Drosophila (Cockerill, K.A. (41) 139)

gurken

Developmental genetics; Dorsoventral pattern; Oogenesis; *Drosophila*; fs(1)K10 (Forlani, S. (41) 109)

bHLH protein

Drosophila; Development; single-minded (Muralidhar, M.G. (41) 129)

Homeobox

Homeodomain; Eye development; rough; Deformed (Lockett, T.J. (41) 57)

Cement gland; Distal-less; Forebrain; Neural crest; Retina; Visceral arch; Xenopus (Dirksen, M.-L. (41) 121)

Homeobox gene

Dpbx; pbx gene family; Proto-oncogene; Homeodomain; Central nervous system; Drosophila melanogaster development (Flegel, W.A. (41) 155)

Homeodomain

Homeobox; Eye development; rough; Deformed (Lockett, T.J. (41) 57)

Dpbx; pbx gene family; Proto-oncogene; Homeobox gene; Central nervous system; Drosophila melanogaster development (Flegel, W.A. (41) 155)

Immunodetection

Retinoic acid receptor $\gamma(RAR\gamma)$; Body axis; Pattern formation (Ellinger-Ziegelbauer, H. (41) 33)

Induction

Drosophila; Decapentaplegic; Xenopus; Fibroblast growth factor; Activin; Wnt; Bone morphogenetic protein; Kidney; Limb; Retinoic acid (Slack, J.M.W. (41) 91)

fs(1)K10

Developmental genetics; Dorsoventral pattern; Oogenesis; *Drosophila*; *gurken* (Forlani, S. (41) 109)

Kidney

Induction; *Drosophila*; Decapentaplegic; *Xenopus*; Fibroblast growth factor; Activin; *Wnt*; Bone morphogenetic protein; Limb; Retinoic acid (Slack, J.M.W. (41) 91)

lethal(3)malignant brain tumor (l(3)mbt)

Brain tumor suppressor gene; *Drosophila*; Temperature-sensitive (Gateff, E. (41) 15)

Limb

Induction; *Drosophila*; Decapentaplegic; *Xenopus*; Fibroblast growth factor; Activin; *Wnt*; Bone morphogenetic protein; Kidney; Retinoic acid (Slack, J.M.W. (41) 91)

Maternal mRNA

Proto-oncogene; ets gene family; Transcription factor; Development; Xenopus (Stiegler, P. (41) 163)

Myogenesis

Sea urchin embryo; Myogenic regulatory factor (Venuti, J.M. (41) 3)

Myogenic regulatory factor

Sea urchin embryo; Myogenesis (Venuti, J.M. (41) 3)

Neural crest

Cement gland; Distal-less; Forebrain; Homeobox; Retina; Visceral arch; Xenopus (Dirksen, M.-L. (41) 121)

Neural induction

Spemann; Organizer (Gilbert, S.F. (41) 73)

Oogenesis

Developmental genetics; Dorsoventral pattern; Drosophila; fs(1)K10; gurken (Forlani, S. (41) 109)

Organizer

Spemann; Neural induction (Gilbert, S.F. (41) 73)

Pattern formation

Retinoic acid receptor γ (RAR γ); Immunodetection; Body axis (Ellinger-Ziegelbauer, H. (41) 33)

pbx gene family

Dpbx; Proto-oncogene; Homeobox gene; Homeodomain; Central nervous system; Drosophila melanogaster development (Flegel, W.A. (41) 155)

POU domain

Gap gene; Segmentation; Drosophila (Cockerill, K.A. (41) 139)

Proto-oncogene

Dpbx; pbx gene family; Homeobox gene; Homeodomain; Central nervous system; Drosophila melanogaster development (Flegel, W.A. (41) 155)

ets gene family; Transcription factor; Maternal mRNA; Development; Xenopus (Stiegler, P. (41) 163)

Retina

Cement gland; Distal-less; Forebrain; Homeobox; Neural crest; Visceral arch; Xenopus (Dirksen, M.-L. (41) 121)

Retinoic acid

Induction; *Drosophila*; Decapentaplegic; *Xenopus*; Fibroblast growth factor; Activin; *Wnt*; Bone morphogenetic protein; Kidney; Limb (Slack, J.M.W. (41) 91)

Retinoic acid receptor $\gamma(RAR\gamma)$

Immunodetection; Body axis; Pattern formation (Ellinger-Ziegelbauer, H. (41) 33)

rough

Homeodomain; Homeobox; Eye development; *Deformed* (Lockett, T.J. (41) 57)

Sea urchin

Cell adhesion; Cadherin; Development (Ghersi, G. (41) 47)

Sea urchin embryo

Myogenesis; Myogenic regulatory factor (Venuti, J.M. (41) 3)

Segmentation

POU domain; Gap gene; Drosophila (Cockerill, K.A. (41) 139)

single-minded

Drosophila; Development; bHLH protein (Muralidhar, M.G. (41) 129)

Spemann

Organizer; Neural induction (Gilbert, S.F. (41) 73)

Temperature-sensitive

Brain tumor suppressor gene; Drosophila; lethal(3)malignant brain tumor (l(3)mbt) (Gateff, E. (41) 15)

Transcription factor

Proto-oncogene; ets gene family; Maternal mRNA; Development; Xenopus (Stiegler, P. (41) 163)

Visceral arch

Cement gland; Distal-less; Forebrain; Homeobox; Neural crest; Retina; Xenopus (Dirksen, M.-L. (41) 121)

Wnt

Induction; *Drosophila*; Decapentaplegic; *Xenopus*; Fibroblast growth factor; Activin; Bone morphogenetic protein; Kidney; Limb; Retinoic acid (Slack, J.M.W. (41) 91)

Xenopus

Induction; *Drosophila*; Decapentaplegic; Fibroblast growth factor; Activin; *Wnt*; Bone morphogenetic protein; Kidney; Limb; Retinoic acid (Slack, J.M.W. (41) 91)

Cement gland; Distal-less; Forebrain; Homeobox; Neural crest; Retina; Visceral arch (Dirksen, M.-L. (41) 121)

Proto-oncogene; ets gene family; Transcription factor; Maternal mRNA; Development (Stiegler, P. (41) 163)